

375 IN HD



0.9 P1.2 P1.5 P1.9

MODULE PARAMETERS				
Pixel pitch	0.93 mm	1.25 mm	1.56 mm	1.875 mm
Module size	150x337.5 mm		150x168.75 mm	
LED type	SMD1010		SMD1212	SMD1515
Module resolution	160 x 360	120 x 270	96 x 108	80 x 90
CABINET SPECIFICATIONS				
Cabinet size	600 x 337.5x47 mm			
Cabinet Materials	Aluminium			
TECHNICAL SPECIFICATIONS				
Weight	29 Kg/sqm			
Brightness	600 - 1,000 nits			
Contrast Ratio	10,000:1			
Viewing Angle	160°V - 160°H			
Gray level	16			
Refresh Rate	3,840 Mhz			
Power Input	110 - 220 V			
Power consumption Maximun	450-600			
Power consumption Average	150-180			
Life--hours	> 100,000			
IP grade	IP43			
Operating Temperature	from -20 ~60			
Storage Humidity	10% - 90% RH			
Maintenance access	Front			
ECOACTIVE FEATURES				
Nox & Sox Abatement	50.03%			
Certification of pollution abetment	ISO 22197 from Fraunhofer institut			
Antidust	Yes			
Self-cleaning	Yes			
Anti-bacterial	Yes			