


375 OUT Slim



P2.85

P4

P6.66

MODULE PARAMETERS			
Pixel pitch	2.85 mm	4 mm	6.66 mm
Module size	320 x 320 mm		
LED type	SMD 1415	SMD 1921	SMD 2727
Module resolution	112 x 112	80 x 80	48 x 48
DISPLAY SPECIFICATIONS			
Panel Dimensions (W x H x D)	320 x 320 mm		
Screen Dimensions (W x H x D)	112 x 112	80 x 80	48 x 48
Physical Resolution	aluminum		
TECHNICAL SPECIFICATIONS			
Weight	16 kg/m2		
Brightness	5,500 nits		
Viewing Angle	160°H - 160°V		
Gray level	16 bits		
Refresh Rate	3,840 Hz		
Power Input	110v~240v +- 10%		
Power consumption Maximun	860 W/sqm		
Power consumption Average	300 W/sqm		
Life--hours	> 100,000 hours		
IP grade	IP67		
Operating Temperature	from -30 ~60		
Storage Humidity	10%~90% RH		
Maintenance access	front/rear		
ECOACTIVE FEATURES			
Nox & Sox Abatement	50.03%		
Certification of pollution abetment	ISO 22197 from Fraunhofer institut		
Antidust	Yes		
Self-cleaning	Yes		
Anti-bacterial	Yes		