


## 375 OUT Std



**P3.91**

**P4.81**

MODULE PARAMETERS		
Pixel pitch	P3.91	P4.81
Module size	250 x 250 mm	
LED type	SMD1820	
Module resolution	W64 x H64	W52 x H52
CABINET SPECIFICATIONS		
Cabinet size (W x H)	500x500 / 500x1,000 mm	
Cabinet Resolutions	128x128 / 128x256	
Cabinet Materials	Aluminum	
TECHNICAL SPECIFICATIONS		
Weight	28 Kg/sqm	
Brightness	5,000 nits	
Viewing Angle	160°V - 160°H	
Gray level	14 bits	
Refresh Rate	3,840 Mhz	
Power Input	110 / 220 V	
Power consumption Maximun	700 W/m2	
Power consumption Average	180 W/m2	
Life--hours	> 100,000	
IP grade	IP65 Front / IP54 Back	
Operating Temperature	from -20 ~60	
Storage Humidity	10 ~90 RH	
Maintance access	Front / Rear	
ECOACTIVE FEATURES		
Nox & Sox Abatement	50.03%	
Certification of pollution abetment	ISO 22197 from Fraunhofer institut	
Antidust	Yes	
Self-cleaning	Yes	
Anti-bacterial	Yes	