



IN HD Ultra Slim

Datasheet



	P0.9	P1.2	P1.5	P1.9
MODULE PARAMETERS				
Pixel pitch	0.93 mm	1.25 mm	1.56 mm	1.875 mm
Module size	300 x 168.75 mm			
LED type	SMD0808	SMD1010		SMD1515
Module resolution	320 x 180	240 x 135	192 x 108	160 x 90
CABINET SPECIFICATIONS				
Cabinet size	600 x 337.5 x 22.5 mm			
Cabinet Materials	Die casting Aluminium			
TECHNICAL SPECIFICATIONS				
Weight per cabinet	3.75 Kg			
Brightness	1,000 nits			
Contrast Ratio	8,000:1			
Viewing Angle	160°V - 160°H			
Gray level	16 bits			
Refresh Rate	3.840 Hz			
Color temperature	7500° K			
Power Input	AC100-AC240 50-60 Hz			
Maximun Power comsuption	600 W/m2			
Medium Power comsuption	180 W/m2			
Life hours	> 100,000			
IP grade	IP31			
Operating Temperature	from -10°C~40°C			
Storage Humidity	10% - 80% RH			
Maintenance access	Front			
ECOACTIVE FEATURES				
Nox & Sox Abatement	50.03%			
Certification of pollution abetment	CEN/TS 16980-1 / ISO 22197-1			
Antidust	Yes			
Self-cleaning	Yes			
Anti-bacterial	Yes			